

WARNING

This material has been reproduced and communicated to you by or on behalf of *Charles Darwin University* in accordance with section 113P of the *Copyright Act 1968 (Act)*.

The material in this communication may be subject to copyright under the Act.
Any further reproduction or communication of this material by you may be the subject of copyright protection under the Act.

Do not remove this notice



Charles Darwin University

Final Examination

Family Name					
Given Name/s					
Student Number					
Teaching Period	Semester 2, 2017				

ECM262 – Teaching the Curriculum: Maths 2	DURATION	
	Reading Time:	10 minutes
	Writing Time:	120 minutes
INSTRUCTIONS TO CANDIDATES		
<p>There are three sections to this exam. You need to answer all three.</p> <ul style="list-style-type: none"> Section A is of 32 marks, this section deals with your basic and senior mathematics content knowledge. Section B is of 14 Marks, it deals with writing model solutions. You need to answer <u>any two out of the four questions</u> in this section. Section C is of 31 marks, this section is concerned with your pedagogical content knowledge and assessment of students' work. <p><i>Please note that under the authorised materials, Lecture Text books include any Senior Maths Text Books.</i></p>		
EXAM CONDITIONS		
<p><u>You may begin writing from the commencement of the examination session.</u> The reading time indicated above is provided as a guide only.</p>		
This is a RESTRICTED OPEN BOOK examination		
Any calculator is permitted		
One A4 sheet of handwritten double-sided notes permitted		
Any hard copy, unannotated English dictionary is permitted		
ADDITIONAL AUTHORISED MATERIALS	EXAMINATION MATERIALS TO BE SUPPLIED	
Lecture Notes (Unannotated) Lecture Textbook/s (Unannotated) No additional printed material is permitted	1 x 8 Page Book 1 x Scrap Paper	

THIS EXAMINATION IS PRINTED
DOUBLE-SIDED.

THIS PAGE HAS BEEN INTENTIONALLY
LEFT BLANK.

Section B
Short Answer Questions
(Writing model solutions)

Marks for each question are indicated.

Suggested Time allocation for Section B: 25 minutes

Total No of Marks for this section: 14

Write model solutions for **any two of the following four questions in this section**, assuming these be given to the students to emphasize the importance of communicating mathematically when presenting their solutions

Question 1

Find $\frac{dy}{dx}$ for each of the following functions. There is no need to simplify your answers.

(a) $y = (x^3 - \frac{2}{x})^3$

[illegible]

(3 marks)

(b) $y = \frac{\ln x}{1 - e^{-x}}$

[illegible]

(4 marks)

Question 2

Consider $D = \begin{bmatrix} 2 & k & k^2 \\ 0 & -1 & k \\ -2 & 1 & 0 \end{bmatrix}$

- (a) Evaluate the determinant of D

[illegible]

(4 marks)


- (b) Hence determine the value(s) of k for which the matrix D has no inverse.

[illegible]

(3 marks)

Question 3

The graph of the **derivative** $y = f'(x)$ is shown below:



- (a) The graph passes through the origin O . What does this tell you about the graph of $y = f(x)$

[illegible]

(3 marks)

- (b) On the graph above, mark and label any points where (second derivative) $f''(x) = 0$. What do these points tell you about the graph of $y = f(x)$?

[illegible]

(4 marks)

Question 4

Consider the ‘curve’ $xy^2 - 2y - x^2 = 0$, where x and y are real numbers.

- (a) Show that $\frac{dy}{dx} = \frac{2x - y^2}{2xy - 2}$

[illegible]

(3 marks)

- (b) Show algebraically that there are 2 points on the curve where $x = 2$. State the coordinates of each point, and find the slope of the curve at each point.

[illegible]

(4 marks)

Question 3

A student was given the task of solving the following equation

$$x^2 + 8x + 15 = 3$$

The student proceeded with

$$x^2 + 8x + 15 = (x+3)(x+5)$$

Thus

$$(x+3)(x+5) = 3$$

Thus either

$$(x+3) = 3 \text{ and } (x+5) = 1$$

And hence $x = 0$ or -4

or $(x+3) = 1$ and $(x+5) = 3$ which mean $x = -2$

Thus the solutions are $x = -2, 0$ or -4

What is wrong with the solution and how would you explain the fallacy?

[illegible]

(5 marks)

Question 4

In an exam the following question was given:





Solve $x^2 = 8x$

Two students produce the subsequent pieces of working in response to the above question.

<i>Student A</i>	<i>Student B</i>
<p><i>Divide both sides by x:</i></p> $\frac{x^2}{x} = \frac{8x}{x}$ <p><i>Canceling common factors on each side of the equation:</i></p> $x = 8$ <p><i>Check: substituting $x=8$ into the equation shows it's a solution.</i></p>	<p><i>Subtract $7x$ from both sides:</i></p> $x^2 - 8x = 8x - 8x$ <p><i>thus</i></p> $x^2 - 8x = 0$ <p><i>Factorizing:</i></p> $x(x - 8) = 0$ <p><i>Thus using null factor law : $x = 0$ or $x = 8$</i></p>

[illegible]

Question 5

- A. 
- B. 
- C. 
- D. 

Fred's answer:

[illegible]

- b. A mechanic purchases tools with a total value of \$3300. The value of the tools depreciates by \$600 per year. When the value of the tools falls below \$900 they should be replaced. When should the mechanic replace his tools?

Fred's answer:

Q: total value = \$3300 total value (V_0) = 3300
 $D = 600$ D = the amount of depreciation each period
 $S = 900$ S = the salvage value
 $n = ?$ n = number of periods (1 year).

The tools depreciate by a fixed amount each year and therefore is straight line depreciation.

$S = V_0 - Dn$
 $900 = 3300 - 600n$
 $900 = 2700 - 600n$
 $2700 - 900 = 600n$
 $1800 = 600n$
 $n = 3$
 The mechanic should replace his tools at 3 years.

[illegible]

(3 marks)

Question 6


If $\cos(\theta) = -\frac{1}{2}$ and $\pi \leq \theta \leq \frac{3\pi}{2}$

- a. Show the angle θ clearly on the diagram

Gemini— a student answered this question as follows. You need to assess student's answer correcting and providing feedback where necessary.

Gemini's answer:

$$\begin{aligned}\cos^2 \theta + \sin^2 \theta &= 1 \\ -\frac{1}{2} + \sin^2 \theta &= 1 \\ +\frac{1}{4} + \sin^2 \theta &= 1 \\ \sqrt{\frac{3}{4}} &= \sin^2 \theta \\ \frac{\sqrt{3}}{2}\end{aligned}$$



(2 mark)

(1mark)

b. State the exact value of $\sin(\theta)$

A grid box containing the handwritten fraction $\frac{\sqrt{3}}{2}$.

(2 marks)

(2marks)

c. State the exact value of $\tan(\theta)$

A grid box containing the handwritten text $\frac{\sin \theta}{\cos \theta} = \tan \theta$, a diagonal line, the fraction $\frac{\sqrt{3}}{2}$, the fraction $-\frac{1}{2}$, and the decimal value -1.732 .

(2 marks)

(2marks)

d. State the exact value of θ

A grid box containing the handwritten value 120° .

(1 mark)

(1 marks)

Extra Space if needed

